

FKIS.E483759 - Electrical Systems for Personal E-Mobility Devices

Electrical Systems for Personal E-Mobility Devices

[See General Information for Electrical Systems for Personal E-Mobility Devices](#)

SHENZHEN OTTO INTELLIGENCE TECHNOLOGY CO LTD

E483759

Rm. 101 - 102, Bldg, F13, F518 Idea Land

NO: 1065 Baoyuan Rd

Xixiang Avenue, Bao'an

Shenzhen, CHINA

Electrical system for personal E-mobility devices

Model No.	Ratings				System Charger Unit	
	Voltage, V dc	Battery Capacity, Ah	Load Weight Limit, lbs	Max Speed, mph	Manufacturer	Model No.
SBW666SQ, SBW666SR	36	4.0	264	7.5	SHENZHEN HYLETON TECHNOLOGY CO LTD	HLT-180-4202000
					GUANGZHOU JI YIN HENG BA ELECTRONICS CO L	JY-420150
					SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
					Coming Data Co., Ltd.(QQGQ.E253376)	CP4215
SBW666SQ3	36	2.0	165	6.21	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ. E363901)	HLT-118A-4200400U
SBW777SQ, SBW777SR, T88SE	36	4.0	264	7.5	SHENZHEN HYLETON TECHNOLOGY CO LTD	HLT-180-4202000
					GUANGZHOU JI YIN HENG BA ELECTRONICS CO LTD	JY-420150
					SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
					Coming Data Co., Ltd.(QQGQ.E253376)	CP4215
RT802SA, SWFT-GLW, T8IE, RT802SL	36	4.0	220	7.5	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
					Coming Data Co., Ltd.(QQGQ.E253376)	CP4215
SBW788SA	36	4	220	6.21	Coming Data Co., Ltd	LP-3620
					GUANGZHOU JI YIN HENG BA ELECTRONICS CO LTD	JY-420150

					SHENZHEN HYLETON TECHNOLOGY CO LTD(EPBU.E484089)	HLT-180-4202000
					SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
					Coming Data Co., Ltd.(QQGQ.E253376)	CP4215
GW666SQ3, HY-ASTR, T6PS	36	2.0	220	6.21	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
GW675SA, HY-LBTY, T65PS	36	2.0	160	7.4	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT676SA, H1-HELX, RT676SJ	36	2.0	160	7.4	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT666SQ6	36	2.0	160	7.4	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT655SC, T655R	36	2.0	160	7.4	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT103SA, RT103SC, SWFT-GMA, OT103SR	36	4.0	264	9	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQJQ/QQJQ7. E363901)	HLT-118C-4201000
RS551SA, RS503SA, RS503SE	25.2	4.0	150	10.0	SHENZHEN HAILONGTONG TECHNOLOGY CO LTD (QQJQ.E363901)	HLT-118C-2941000
					SHENZHEN FUYUANDIAN POWER CO LTD. (QQGQ. E350715)	FY0422941000

Electric System for Personal E-Mobility Devices

Model No.	Ratings				System Charger Unit	
	Voltage, V dc	Battery Capacity, Ah	Load Weight Limit, lbs	Max Speed, mph	Manufacturer	Model No.
SBW666SN	25.9	4.0	220	6.2	COMING DATA CO LTD	CC2415
					SHENZHEN HYLETON TECHNOLOGY CO LTD	HLT-180-2941500
					GUANGZHOU JI YIN HENG BA ELECTRONICS CO LTD	JY-294150
SBW678SA	25.9	4.0	220	6.2	COMING DATA CO LTD	CC2415
					SHENZHEN HYLETON TECHNOLOGY CO LTD	HLT-180-2941500
					GUANGZHOU JI YIN HENG BA ELECTRONICS CO LTD	JY-294150
SBW666SN6	25.9	4.0	220	6.2	COMING DATA CO LTD	CC2415
					SHENZHEN HYLETON TECHNOLOGY CO LTD	HLT-180-2941500
					GUANGZHOU JI YIN HENG BA ELECTRONICS CO LTD	JY-294150

GW677SA, T677PS, HY-SPR	25.2	4.0	220	6.21	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
RS656SC, H1-RALY, HY-L5	36	4.0	264	12	SHENZHEN TIANHANGXING ELECTRONICS CO LTD(QQJQ.E359925)	THX-420150KV
					SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
RS818SH, KS8512Y	36	6.0	264	15	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0634201500
					SHENZHEN TIANHANGXING ELECTRONICS CO LTD(QQJQ.E359925)	THX-420150KV
					SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
RT676SD, H1-NXS, CMT616OT	25.2	4.0	160	7.0	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
RT662SA, T662R, RT662SD	25.2	4.0	220	7.0	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
					SHENZHEN HYLETON TECHNOLOGY CO., LTD. E363901(QQJQ)	HLT-118C-2941000
					SHENZHEN TIANHANGXING ELECTRONICS CO LTD (QQJQ.E359925)	THX-294100KBV
KS1001	36	6.0	264	18	SHENZHEN TIANHANGXING ELECTRONICS CO LTD (QQJQ.E359925)	THX-420150KV
					SHENZHEN FUYUANDIAN POWER CO LTD(QQGQ.E350715)	FY0634201500
H1-ALPHA, KS1001A, RS116, RS125	36	6.0	264	18	SHENZHEN TIANHANGXING ELECTRONICS CO LTD (QQJQ.E359925)	THX-420150KV
					SHENZHEN FUYUANDIAN POWER CO LTD(QQGQ.E350715)	FY0634201500
RT101SA, RT101SD, SWFT-SNC, T10IR	36	4.0	264	9	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ.E363901)	HLT-180-4201500
					COMING DATA CO LTD(QQGQ.E253376)	CP4215
					SHENZHEN TIANHANGXING ELECTRONICS CO LTD(QQJQ.E359925)	THX-420150KV
RS659SA, KS6B2, RS659SC, RS652SA	36	4.0	170	15	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQJQ.E363901)	HLT-118C-4201000

					COMING DATA CO LTD(EPBU. E252401)	CP4210
RT680SA, RCHR680	25.2	4.0	220	6.21	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
					SHENZHEN HYLETON TECHNOLOGY CO., LTD. (QQJQ.E363901)	HLT-118C-2941000
RT102SA, HY-TITAN, T101636WR	36	4.0	264	9	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQGQ. E363901)	HLT-180-4201500
					COMING DATA CO LTD(QQGQ.E253376)	CP4215
					SHENZHEN TIANHANGXING ELECTRONICS CO LTD(QQJQ.E359925)	THX-420150KV
RT672SA, H1-FFLY, OT672RS, RT672SD, H1-100, I-100.	25.2	4.0	220	7	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
					SHENZHEN HYLETON TECHNOLOGY CO., LTD. (QQJQ.E363901)	HLT-118C-2941000
RT661SA, OT661RS, H1-MAT, H1-ORGN	25.2	4.0	220	7.0	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
					SHENZHEN HYLETON TECHNOLOGY CO., LTD. (QQJQ.E363901)	HLT-118C-2941000
RT102SA, HY-TITAN, T101636WR	25.2	4.0	220	7	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
TR5501, H1-TRAN, KS5520	25.2	4.0	150	10.0	SHENZHEN HAILONGTONG TECHNOLOGY CO LTD (QQJQ.E363901)	HLT-118C-2941000
RT673SA	25.2	4.0	220	7.0	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000

Electrical system for personal E-mobility

Model No.	Ratings				System Charger Unit	
	Voltage, V dc	Battery Capacity, Ah	Load Weight Limit, lbs	Max Speed, mph	Manufacturer	Model No.
RT678SC, T67SE	36	2.0	160	7.4	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT671SA, H1-CME and RCME671	25.2	4.0	220	7.0	SHENZHEN FUYUANDIAN POWER CO LTD	FY0422941000
					SHENZHEN TIANHANGXING ELECTRONICS CO LTD	THX-294100KBV

					SHENZHEN HYLETON TECHNOLOGY CO., LTD. (QQJQ.E363901)	HLT-118C-2941000
RT661SC, RT661SD, T61736W	36	2.0	160	7.0	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT668SA, OT668R, RT668SC	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT675SD, OT675R, RT675SG, OT67520R, H1-RCKT, RT675SG, OT67520R , EU-UK-RVL	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400

Electrical system for self-balancing scooter

Model No.	Ratings				System Charger Unit	
	Battery Voltage, V dc	Battery Capacity, Ah	Load Weight Limit, lbs	Max Speed, mph	Manufacturer	Model No.
RT677SG, H1-MAX, T677R, EU-UK-SPR	25.2	4.0	220	7	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
					SHENZHEN HYLETON TECHNOLOGY CO., LTD. (QQJQ.E363901)	HLT-118C-2941000
RT676SE, OT676RS, OT676RSI, RT676RSJ	36.0	2.0	160	7	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0422941000
RS301SC, RS301SA, KSES9007	25.2	2.0	132	9	SHENZHEN HYLETON TECHNOLOGY CO LTD (E363901)	HLT-118C-2941000
RS816SA, EU-UK-IDL, H1-EDGE	36	4.0	44-264	15	SHENZHEN HYLETON TECHNOLOGY CO LTD (QQJQ.E363901)	HLT-118C-4201000
RT671SC	29.4	4	220	7	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ. E350715)	FY0422941000
					SHENZHEN HYLETON TECHNOLOGY CO LTD (QQJQ. E363901)	HLT-118C-2941000
RS503SD	36.0	2	132	8.0	SHENZHEN FUYUANDIAN POWER CO LTD (QQGQ, E350715)	FY0184200400
RT662SG, SWFT-BLZ	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT662SG, SWFT-BLZ	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT673SC, SWFT-FLH	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT677SJ	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400
RT678SD	36	2.0	160	7	SHENZHENFUYUANDIAN POWER CO LTD (QQGQ.E350715)	FY0184200400

Trademark and/or Tradename: , , "Air Ride", "NILCOX", "NILOX", , , , , , , , , , , , , , , , , , , , , , 

Last Updated on 2021-01-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"